

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A63B 69/38, 69/36	A1	(11) International Publication Number: WO 99/34884
		(43) International Publication Date: 15 July 1999 (15.07.99)

(21) International Application Number: PCT/GB99/00001

(22) International Filing Date: 4 January 1999 (04.01.99)

(30) Priority Data:
9800015.1 3 January 1998 (03.01.98) GB

(71)(72) Applicant and Inventor: VAN ASSELT, Jan, Abram
[GB/GB]; The Spinney, Mynthurst, Leigh, Reigate, Surrey
RH2 8RJ (GB).

(74) Agents: FRY, Alan, Valentine et al.; Fry Heath & Spence,
The Old College, 53 High Street, Horley, Surrey RH6 7BN
(GB).


(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR,
BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE,
GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ,
LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW,
MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL,
TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO
patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR,
IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF,
CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

With international search report.

*Before the expiration of the time limit for amending the
claims and to be republished in the event of the receipt of
amendments.*

(54) Title: BALL GAME APPARATUS



(57) Abstract

Apparatus for use in playing and practising ball games, comprises a ball suspended by a substantially inelastic upstanding line from an upper, generally horizontal or inclined elongate guideway and connected by the same or a second substantially inelastic upstanding line to a lower, generally horizontal or inclined elongate guideway. The lower elongate guideway may be at ground level and the height of the ball above ground level may be adjustable.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

BALL GAME APPARATUS

This invention relates to apparatus for use in playing and practising ball games. More especially, but not exclusively, the invention relates to apparatus for improving the skills of participants in ball games.

The term "ball games" as used herein embraces games such as tennis, base ball, golf, badminton and the like, in which a projectile such as a ball, shuttlecock or the like is propelled by a racquet, stick, club or the like.

In the field of competitive sport it is a well known adage that practice makes perfect. Thus, for example, tennis players spend many hours improving *inter alia* forward and backhand strokes on tennis courts.

In the field of tennis, there are several inanimate tennis trainers available, these including *inter alia*, a ball attached by an elasticated strand, string or rope to some form of central support. Such trainers are unsatisfactory because the ball approaches the player at an unrealistic angle and speed. Furthermore, *missing* the ball results in the elasticated strand, string or rope becoming inconveniently entangled around the support.

Children also enjoy ball games, but unless they are coached, they have even less opportunity of improving their skills. Furthermore, few children have sufficient space and freedom from houses and cars to play ball games unrestrictedly.

Disabled persons, especially those confined to wheelchairs and who do not have the mobility of an able bodied person, cannot play conventional ball games and find obvious difficulties with currently available tennis

trainers and the like.

Similar problems arise with other ball games.

US-A-4,138,107 relates to a ball game practice device which comprises a ball connected to an elastic tether, the tether connected at either end to a carriage member which runs along a rigid rail. It is the elastic nature of the tether which after full stretch, returns the ball to the player.

US-A-3,630,521 relates to a baseball batting practice device. Once again, a ball is connected to an elastic cord which is slidably linked to an upper and lower support wire. In both these disclosures, the elastic nature of the tether to the ball allows somewhat uncontrolled lateral movement of the ball once struck by the player.

Therefore, there is a need to provide apparatus for simulating ball games which can be adapted for one or more players, which is suitable for adults, children and disabled persons, which is economical to produce and which can be used in a controlled manner in relatively small areas without concern over surrounding buildings and cars.

The present invention sets out to provide such apparatus.

Accordingly, in one aspect the invention provides apparatus for use in playing and practising ball games which comprises upper and lower guideways, substantially inelastic reciprocating means connected to and freely movably along said upper and lower guideways, and a ball connected to said reciprocating means.

The term "substantially inelastic" as used herein applies to materials which have a very limited ability to stretch and change length when struck.

The upper guideway may be inclined. Also, the maximum height of the upper guideway above the lower guideway may be greater than the length of the reciprocating means. In this arrangement, when the reciprocating means is positioned at, or towards, one end of the guideways, a player may strike the ball and propel the reciprocating means forwardly along the guideways. However, when the length of the reciprocating means becomes limiting in relation to the distance between the upper and lower guideways, the reciprocating means decelerates, stops and is deflected back along the guideways towards the player.

Importantly, the reciprocating means are made from a substantially inelastic material. Not only does this ensure that the ball maintains a controlled horizontal trajectory regardless of the angle at which the player hits the ball, but the inelasticity of the reciprocating means ensures its length becomes limiting in relation to the distance between the upper and lower guideways thereby deflecting the ball back to the player.

The force required to strike the ball on the reciprocating means may be regulated by altering the position of the lower guideway relative to the upper guideway. Thus for example, moving one end of the lower guideway nearer to a point directly below an end of the upper guideway increases the speed and force of the ball approaching a player standing at a fixed point.

It is preferred that the ends of the lower guideway are adjustably engaged with the ground so that the force and speed of the ball on the reciprocating means may be varied according to the competence of the player.

In an alternative arrangement, the upper and lower guideways are substantially parallel. This arrangement is of especial interest to children and disabled persons where there is a common requirement for the ball to stay within defined limits. Wheelchair-bound persons may thus develop ball game

skills using this invention.

Typically, the ends of the upper, and optionally the lower guideway, are attached to a stable support. In particular, the stable support is a wall or pole.

The upper and lower guideways may lie in a plane which is generally normal to the ground or in a plane which is inclined thereto.

The reciprocating means may comprise a substantially inelastic upstanding line connected to the upper and lower guideways.

The invention also contemplates an embodiment wherein the reciprocating means comprises more than one substantially inelastic upstanding line, for example, wherein the reciprocating means comprises one substantially inelastic upstanding line connected to the upper guideway and another associated substantially inelastic upstanding line connected to the lower guideway.

The reciprocating means may be connected to the upper and lower guideways through a slide which may comprise a hinged clip, ring, rope slide or adjustable loop.

In one embodiment the upper and/or lower guideways and/or the reciprocating means are made of a low friction material such as plastics covered cord or wire. The upper and lower guideways and the reciprocating means may be made of the same material.

The invention also contemplates an embodiment where the upper and/or lower guideways are made of a substantially rigid material. By substantially rigid it is meant relatively inflexible. Therefore, one or both guideways may take the form of a plastics track which is capable of

receiving a runner to which the reciprocating means is connected.

The ball may be connected at any point along the reciprocating means. This affords the possibility of the apparatus being used as apparatus for any ball game. For example, the ball may be attached towards the middle point of the reciprocating means to simulate apparatus for playing tennis or baseball, or alternatively, the ball may be attached near the lower end of the reciprocating means to simulate apparatus for playing golf.

Accordingly, the ball may be chosen from *inter alia* a tennis ball, a baseball, a rounders ball, a shuttlecock, a cricket ball, a hockey ball, or a golf ball.

In another aspect, the invention provides apparatus for use in playing and practising ball games, comprising a ball suspended by a substantially inelastic upstanding line from an upper, generally horizontal or inclined elongate guideway and connected by the same or a second substantially inelastic upstanding line to a lower, generally horizontal or inclined elongate guideway.

The lower elongate guideway may be at ground level. The height of the ball above ground level may be adjustable.

The upper and lower guideways may lie in a plane which is generally normal to the ground or in a plane which is inclined thereto. One or each guideway may take the form of a string, rope or the like stretched between two spaced supports. The line may be coated with or formed from a material having relatively low friction properties, for example a plastics material.

The substantially inelastic upstanding line(s) may be connected to the upper and/or lower guideway by a slide in the form of, for example, a loop

or ring.

The invention will now be described by way of example only with reference to the following diagrammatic drawings, in which:-

Figure 1 is a side view in perspective of apparatus in accordance with the invention;

Figures 2 and 3 illustrate different ways of supporting the apparatus of Figure 1; and

Figure 4 is a side view in perspective of alternative apparatus in accordance with the invention.

The apparatus shown in Figure 1 takes the form of a tennis training aid, especially for one player. The apparatus comprises upper and lower guideways 1, 2 respectively, of plastics coated cord which are attached at their ends to two supports 3, 4 spaced approximately 10 metres apart. Typically, the heights of the supports above ground level are respectively two metres and three metres. Thus the height of the upper guideway 1 above ground level is greater at its point of connection to support 4 than at its point of connection to support 3. The supports 3, 4 are held in position by inclined guide ropes 5 attached to ground engaging pegs 6. The lower guideway 2 is fixed at ground level and the upper guideway 1 is inclined upwardly from the support 3. Two positions of the lower guideway are shown in Figure 1, these being shown in full line and broken line. A ball 7 is suspended by an inelastic line 8 to the upper guideway 1 and by an inelastic line 9 to the lower guideway 2. The line 8 is supported from the upper guideway 1 by a loop or ring 10 and the line 9 is connected to the lower guideway 2 by a loop or ring 11. The lines 8, 9 may be secured to the ball by stitching, stapling or any other means. In an alternative arrangement, a single inelastic line is used, this extending through or around

the periphery of the ball.

When the training aid is in use, a player stands near the lower guideway 2 at its point of connection to support 3 and strikes the ball with a racquet or the like using either forehand or backhand strokes. The starting positions of the ball and lines 8, 9 (and the guideway 2) are shown in full line to the left hand side of Figure 1 and the limiting positions are shown in broken line to the right hand side of Figure 1. The force of the strike sends the lines 8, 9 and the ball 7 along the upper and lower guideways 1, 2 towards the limiting position shown in broken line. Once the distance between the ends of the lines 8, 9 (the lower guideway 2 now being in its raised position shown in broken line) becomes limiting in relation to the distance between the upper and lower guideways, the lines 8, 9 slow down, stop and are deflected back along the upper and lower guideways to return to the player who can then strike the ball again.

Figures 2 and 3 illustrate different methods of supporting the apparatus e.g. attachment at one end to a wall 12 as in Figure 2 and attached between two walls 14 as shown in Figure 3.

The apparatus shown in Figure 4 illustrates an alternative embodiment in accordance with the invention and is especially designed for two players. In this embodiment, the upper and lower guideways 1, 2 are generally parallel so that a ball can be played at either end of the apparatus to send the lines 8, 9 along the upper and lower guideways 1, 2 to the other player.

It will be appreciated that the foregoing is merely exemplary of embodiments of the invention and that modifications can readily be made without departing from the scope of the invention.

Thus, the length of the upper and lower guideways may be greater or

less than 10 metres. Also, the single supports 3, 4 may be replaced by sideways spaced supports to provide greater access to the ball by a player or players. The upper and/or lower guideway 1 or 2 may be produced from a relatively rigid material and may comprise a length of, for example, plastics formed with a track which receives a runner to which the line 8 or 9 is attached.

As mentioned previously, the "ball" 7 may comprise a tennis ball, base ball, golf ball or like projectile such as a shuttlecock. The height of the ball 7 above ground level is therefore readily adjustable to simulate playing conditions for all of such games.

CLAIMS:

1. Apparatus for use in playing and practising ball games comprising upper and lower guideways, substantially inelastic reciprocating means connected to and freely moveable along said upper and lower guideways, and a ball connected to said reciprocating means.
2. Apparatus according to claim 1 wherein the upper guideway is inclined, the maximum height of the upper guideway above ground level being greater than the length of the reciprocating means.
3. Apparatus according to claim 1 wherein the upper and lower guideways are substantially parallel.
4. Apparatus according to any one of the preceding claims wherein the upper and lower guideways lie in a plane which is generally normal to the ground.
5. Apparatus according to any one of the claims 1 to 3 wherein the upper and lower guideways lie in a plane which is inclined to the ground.
6. Apparatus according to any one of the preceding claims wherein the upper and/or lower guideways are attached to a stable support.
7. Apparatus according to claim 6 wherein the stable support is a wall or pole.
8. Apparatus according to any one of the preceding claims wherein the lower guideway is adjustably engaged with the ground.
9. Apparatus according to any one of the preceding claims wherein the

reciprocating means comprises one or more upstanding line(s) connected to the upper and lower guideways.

10. Apparatus according to claim 9 wherein the reciprocating means comprises one upstanding line connected to the upper guideway and another associated upstanding line connected to the lower guideway.
11. Apparatus according to any one of the preceding claims wherein the reciprocating means is connected to the upper and lower guideways means through a slide.
12. Apparatus according to claim 11 wherein the slide comprises a hinged clip, ring, rope slide or adjustable loop.
13. Apparatus according to any one of the preceding claims wherein the upper and lower guideways and/or the reciprocating means are made of a low friction material.
14. Apparatus according to claim 13 wherein the upper and lower guideways and/or the reciprocating means are made of plastics covered cord or wire.
15. Apparatus according to any one of the preceding claims wherein the upper and lower guideways and the reciprocating means are made from the same material.
16. Apparatus according to any one of the preceding claims wherein the upper and lower guideways are made of a substantially rigid material.
17. Apparatus according to claim 16 wherein the upper and/or lower guideways take the form of a plastics track which is capable of receiving a runner to which the reciprocating means is connected.

18. Apparatus according to any one of the preceding claims wherein the ball can be connected at any point along the reciprocating means.
19. Apparatus according to any one of the preceding claims wherein the ball is a tennis ball, a baseball, a rounders ball, a cricket ball, a hockey ball, or a golf ball.
20. Apparatus for use in playing and practising ball games, comprising a ball suspended by a substantially inelastic upstanding line from an upper, generally horizontal or inclined elongate guideway and connected by the same or a second substantially inelastic upstanding line to a lower, generally horizontal or inclined elongate guideway.
21. Apparatus according to claim 20 wherein the upper and lower guideways lie in a plane which is generally normal to the ground or in a plane which is inclined thereto.
22. Apparatus according to claim 20 or claim 21 wherein the upper and/or lower guideway comprises a guideway in the form of a string, rope or the like stretched between two spaced supports.
23. Apparatus according to any one of the claims 20 to 22 wherein the upper and/or lower guideways and/or upstanding line(s) is/are coated with or formed from a material being of relatively low friction properties.
24. Apparatus according to claim 23 wherein the upper and/or lower guideways and/or upstanding line(s) is/are coated with or formed from a plastics material.
25. Apparatus according to any one of the claims 20 to 24 wherein the upstanding line(s) is/are connected to the upper and/or lower

guideway by a slide.

26. Apparatus according to claim 25 wherein the slide comprises a loop or ring.
27. Apparatus as defined hereinabove and with reference to the accompanying diagrammatic drawings.

1/2




FIG. 1.

2 / 2




FIG. 2.




FIG. 3.




FIG. 4.

INTERNATIONAL SEARCH REPORT

national application No

PCT/GB 99/00001

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 A63B69/38 A63B69/36

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A63B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	DE 88 04 865 U (SPIER) 26 May 1988 see claim 1; figures 1,2 ---	1,20
A	US 3 630 521 A (LINGBEEK ET AL.) 28 December 1971 cited in the application see abstract; figures ---	1,20
A	US 4 138 107 A (JANIS) 6 February 1979 cited in the application see abstract; figures ---	1,20
A	US 3 114 549 A (HOOKER) 17 December 1963 see claim 4; figures 1,2 ---	1,20
A	US 3 086 775 A (ALBERT) 23 April 1963 see claim 1; figures -----	1,20

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubt on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

20 April 1999

Date of mailing of the international search report

10/05/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5618 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Jones, T

INTERNATIONAL SEARCH REPORT

international application No.

PCT/GB 99/00001

Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.: 27
because they relate to subject matter not required to be searched by this Authority, namely:

PCT Rule 6.2(a) - References to Other Parts of the International Application
2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.